

COLLINS PETROLEUM AND ELECTRICAL, INC.  
308 HEATHERFORD DRIVE  
LEWISVILLE, NC 27023  
(919) 945-4983  
(919) 945-4903


June 18, 1993

N.C. DEPT. OF ENVIRONMENT, HEALTH,  
AND NATURAL RESOURCES  
8025 N. Point Blvd.  
Suite 100  
Winston-Salem, NC 27106-3295  
ATTN: MR. WADDELL WATERS

Dear Mr. Waters,

This letter is in regard to the tank removal at the Pantry Store No. 260 on highway 89 in Mt. Airy, NC. We removed 2-8000 gallon gasoline UST's and 1-3000 gallon kerosene UST's. We also removed all adjacent piping from tanks to pump islands including vent lines. We took soil samples according to the lengths of the tanks and the piping as shown on the drawing included in this report. Along with the drawing is a Drawing Information Sheet which gives a description of the samples taken and the depth in which they were taken. We used a Gas Tech Soil Testing Meter to screen the material excavated from around the tanks and piping. All material removed showed no signs of contamination. All tanks appeared to be in good sound condition and showed no sign of leakage. The tanks were taken to Safeway Tank Disposal to be disposed of properly. All adjacent piping also showed no sign of leakage. We were unable to sample under the kerosene island because all dirt from beneath it had to be excavated in order to remove the tank, but there was no sign leakage under pump island. The method used to take the samples was using a split barrel core sampler from the center of the dirt in the backhoe bucket taken from the tank hole. Sampling tools were thoroughly cleaned prior to taking each sample. The samples were placed in containers furnished by the lab and packed on ice and transported to Blue Ridge Labs in Lenoir, NC. All excavations have been closed and compacted. Included in my report is a boring report done by SPATCO Environmental in August of 1990. If you have further questions please feel free to call me.

Sincerely,



Micheal R. Collins

(GW/UST-2)

## Site Investigation Report For Permanent Closure or Change-in-Service of U.S.T.

FOR  
TANKS  
IN  
NC

## Return Completed Form To:

The appropriate DEM Regional Office according to the county of the facility's location.  
[SEE MAP ON REVERSE SIDE OF OWNER'S COPY (PINK) FOR REGIONAL  
OFFICE ADDRESS].

State Use Only

I.D. Number \_\_\_\_\_

Date Received \_\_\_\_\_

## INSTRUCTIONS

Complete and return within (30) days following completion of site investigation.

## I. Ownership of Tank(s)

Yoco, Inc.  
Owner Name (Corporation, Individual, Public Agency, or Other Entity)  
P.O. Box 67, Old Hwy 601  
Street Address  
Surry  
County  
White Plains, NC 27031  
City State Zip Code  
919 789 5561  
Area Code Telephone Number

## II. Location of Tank(s)

The Pantry #260  
Facility Name or Company  
Facility ID # (if available) Hwy 89  
Street Address or State Road  
Surry Mt. Airy 27030  
County City Zip Code  
919 789 5561  
Area Code Telephone Number

## III. Contact Person

Rebbie Wolfe Manager (919) 789-5561  
Name Job Title Telephone No. (Area Code)  
Closure Contractor Collins Petroleum, 308 Heatherford Dr, Lewisville, NC (919) 945-9983  
Lab Blue Ridge Labs. Lenior, N.C. (704) 928-0149  
(Name) (Address) Telephone No. (Area Code)

## IV. U.S.T. Information

## V. Excavation Condition

## VI. Additional Information Required

Tank No.	Size in Gallons	Tank Dimensions	Last Contents	Water In Excavation		Free Product		Notable Odor or Visible Soil Contamination	
				Yes	No	Yes	No	Yes	No
1	8,000	8'x22'	Gasoline		✓		✓		✓
2	8,000	8'x22'	Gasoline		✓		✓		✓
3	3,000	64"x18"	Kerosene		✓		✓		✓

See reverse side of pink copy (owner's copy) for additional information required by N.C. - DEM in the written report and sketch.

## VII. Check List

Check the activities completed.

- ☒ Contact local fire marshal  
☒ Notify DEM Regional Office before abandonment  
☒ Drain & flush piping into tank.  
☒ Remove all product and residuals from tank  
☒ Excavate down to tank.  
☒ Clean and inspect tank.  
☒ Remove drop tube, fill pipe, gauge pipe, vapor recovery tank connections, submersible pumps and other tank fixtures.  
☒ Cap or plug all lines except the vent and fill lines.  
☒ Purge tank of all product & flammable vapors.  
☒ Cut one or more large holes in the tanks.  
☒ Backfill the area.  
 Date Tank(s) Permanently closed: 6-9-93  
 Date of Change-in-Service: \_\_\_\_\_

## ABANDONMENT IN PLACE

- ☐ Fill tank until material overflows tank opening;  
☐ Plug or cap all openings;  
☐ Disconnect and cap or remove vent line  
☐ Solid inert material used - specify: \_\_\_\_\_

## REMOVAL

- ☒ Create vent hole  
☒ Label tank  
☒ Dispose of tank in approved manner  
 Final tank destination: Safeway  
Tank Disposal

## VIII. Certification (Read and Sign)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Print name and official title of owner or owner's authorized representative

Collins Petroleum by Michael R. Collins  
President

Signature

Michael R. Collins

Date Signed

6-18-93

**COLLINS PETROLEUM AND ELECTRICAL, INC.**  
308 HEATHERFORD DRIVE  
LEWISVILLE, NC 27023  
(919) 945-4983  
(919) 945-4903

DRAWING INFORMATION SHEET

Tank (1) 8,000 Gallon Gasoline UST 8'x22' long, Samples #1,2, and 3.

Tank (2) 8,000 Gallon Gasoline UST 8'x22' long, Samples #4,5, and 6.

Tanks 1 and 2 were buried at a depth of 4' below ground level to the top of tank. The tank bottoms were at a depth of 12' and Samples #1-6 were taken 2' below the base of the tank at a depth of 14' located as shown on the drawing. These samples were all less than 10 PPM.

Tank (3) 3,000 Gallon Kerosene UST 64"x18' long, Samples #7 and 8.

Tank (3) was buried at a depth of 3' below ground level to the top of the tank. The tank bottom was at a depth of 8'-4" and Samples #7 and 8 were taken 2' below the base of the tank at a depth of 10'-4" located as shown on the drawing. These samples were both less than 10 PPM.


Pipelines-Samples #9 and 10 were taken at a depth of 4' below ground level which was 1' below the pipelines as located on the drawing.

Pump Islands-Samples #11-14 were taken at a depth of 3'-6" below ground level which was 1' below the pipelines as located on the drawing. Samples #9-14 all were less than 10 PPM.


(919) 945-4903

X-Sample Location

Pantry Store  
# 260



Mt. Airy, N.C.



**CLIENT:** Collins Petroleum and Electrical, Inc.  
308 Heatherford Drive  
Lewisville, NC 27023

Attention: Mr. M. Collins

**DATE RECEIVED:** June 10, 1993

**DATE REPORTED:** June 14, 1993

**SAMPLE NUMBER**

**SAMPLE DESCRIPTION**

306-1269A	Soil; Tank #1 Sample #1 for 5030.
306-1269B	Soil; Tank #1 Sample #2 for 5030.
306-1269C	Soil; Tank #1 Sample #3 for 5030.
306-1269D	Soil; Tank #2 Sample #4 for 5030.
306-1269E	Soil; Tank #2 Sample #5 for 5030.
306-1269F	Soil; Tank #2 Sample #6 for 5030.
306-1269G	Soil; Tank #3 Sample #7 for 5030 & 3550.
306-1269H	Soil; Tank #3 Sample #8 for 5030 & 3550.
306-1269I	Soil; Pipeline Sample #9 for 5030.
306-1269J	Soil; Pipeline Sample #10 for 5030.
306-1269K	Soil; Pump Island #11 for 5030.
306-1269L	Soil; Pump Island #12 for 5030.
306-1269M	Soil; Pump Island #13 for 5030.
306-1269N	Soil; Pump Island #14 for 5030.

**PARAMETER**

**RESULTS**

**MDL**

**DATE STARTED**


306-1269A - 5030	2.2	1.0	mg/kg	06/14/93
306-1269B - 5030	2.4	1.0	mg/kg	06/14/93
306-1269C - 5030	2.2	1.0	mg/kg	06/14/93

\* Concentrations are below Minimum Quantification Limit except where noted.

**NC Laboratory Certificate No. 275.**

<u>PARAMETER</u>	<u>RESULTS</u>	<u>MDL</u>	<u>DATE STARTED</u>
306-1269D - 5030	2.2	1.0 mg/kg	06/14/93
306-1269E - 5030	2.0	1.0 mg/kg	06/14/93
306-1269F - 5030	1.9	1.0 mg/kg	06/14/93
306-1269G - 5030	1.7	1.0 mg/kg	06/14/93
- 3550	4.4	1.0 mg/kg	06/14/93
306-1269H - 5030	1.6	1.0 mg/kg	06/14/93
- 3550	2.5	1.0 mg/kg	06/14/93
306-1269I - 5030	3.2	1.0 mg/kg	06/14/93
306-1269J - 5030	2.4	1.0 mg/kg	06/14/93
306-1269K - 5030	2.0	1.0 mg/kg	06/14/93
306-1269L - 5030	2.9	1.0 mg/kg	06/14/93
306-1269M - 5030	2.4	1.0 mg/kg	06/14/93
306-1269N - 5030	1.9	1.0 mg/kg	06/14/93

REPORTED BY:

  
D. R. Wessinger - General Manager


\* Concentrations are below Minimum Quantification Limit except where noted.

NC Laboratory Certificate No. 275.

Client: Yoco, Inc

Job: Hwy 89 Pantry

Location: Mt. Airy NC.



## CHAIN OF CUSTODY RECORD

SAMPLE ID: Tank #1 - Sample #1  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 1:30 PM  
 TESTS REQUESTED: 5030  
For: Yoco Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

SAMPLE ID: Tank #1 - Sample #2  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 1:45 PM  
 TESTS REQUESTED: 5030  
For: Yoco Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

SAMPLE ID: Tank #1 - Sample #3  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 2:00 PM  
 TESTS REQUESTED: 5030  
For: Yoco, Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

SAMPLE ID: Tank #2 - Sample #4  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 2:10 PM  
 TESTS REQUESTED: 5030  
For: Yoco, Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

SAMPLE ID: Tank #2 - Sample #5  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 2:25 PM  
 TESTS REQUESTED: 5030  
For: Yoco, Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

SAMPLE ID: Tank #2 - Sample #6  
 TYPE OF SAMPLE: Soil  
 LOCATION: Hwy 89 Pantry  
 DATE SAMPLED: 6-9-93 TIME SAMPLED: 2:40 PM  
 TESTS REQUESTED: 5030  
For: Yoco, Inc.  
 PRESERVATIVE: Cool  
 SIGNATURE: Michael R Collins

RELINQUISHED BY:

DATE

RELINQUISHED TO:

Collins Petroleum and  
Electrical, Inc.  
Michael R Collins

6-10-93

Gerard D. Connelly  
Blue Ridge Labs

NOTE: Use back for additional information and maps.

3/25/91



## CHAIN OF CUSTODY RECORD

SAMPLE ID: Tank #3 - Sample #7  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-9-93 TIME SAMPLED: 3:00 PM  
TESTS REQUESTED: 3550 + 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Tank #3 - Sample #8  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-9-93 TIME SAMPLED: 3:15 PM  
TESTS REQUESTED: 3550 + 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Pipeline - Sample #9  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 10:00 AM  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Pipeline - Sample #10  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 10:20 A  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Pump Island - Sample #11  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 1:00 PM  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Pump Island - Sample #12  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 1:10 PM  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

RELINQUISHED BY:

Collins Petroleum and  
Electrical, Inc.  
Michael R Collins

DATE

6-10-93


RELINQUISHED TO:

Harold D. Connolly  
Blue Ridge Labs

NOTE: Use back for additional information and maps.

3/25/91





## CHAIN OF CUSTODY RECORD

SAMPLE ID: Pump Island - Sample # 13  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 1:25 PM  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: Pump Island - Sample # 14  
TYPE OF SAMPLE: Soil  
LOCATION: Hwy 89 Pantry  
DATE SAMPLED: 6-10-93 TIME SAMPLED: 1:45 PM  
TESTS REQUESTED: 5030  
For: Yoco, Inc.

PRESERVATIVE: Cool  
SIGNATURE: Michael R Collins

SAMPLE ID: \_\_\_\_\_  
TYPE OF SAMPLE: \_\_\_\_\_  
LOCATION: \_\_\_\_\_  
DATE SAMPLED: \_\_\_\_\_ TIME SAMPLED: \_\_\_\_\_  
TESTS REQUESTED: \_\_\_\_\_

PRESERVATIVE: \_\_\_\_\_  
SIGNATURE: \_\_\_\_\_

SAMPLE ID: \_\_\_\_\_  
TYPE OF SAMPLE: \_\_\_\_\_  
LOCATION: \_\_\_\_\_  
DATE SAMPLED: \_\_\_\_\_ TIME SAMPLED: \_\_\_\_\_  
TESTS REQUESTED: \_\_\_\_\_

PRESERVATIVE: \_\_\_\_\_  
SIGNATURE: \_\_\_\_\_

SAMPLE ID: \_\_\_\_\_  
TYPE OF SAMPLE: \_\_\_\_\_  
LOCATION: \_\_\_\_\_  
DATE SAMPLED: \_\_\_\_\_ TIME SAMPLED: \_\_\_\_\_  
TESTS REQUESTED: \_\_\_\_\_

PRESERVATIVE: \_\_\_\_\_  
SIGNATURE: \_\_\_\_\_

SAMPLE ID: \_\_\_\_\_  
TYPE OF SAMPLE: \_\_\_\_\_  
LOCATION: \_\_\_\_\_  
DATE SAMPLED: \_\_\_\_\_ TIME SAMPLED: \_\_\_\_\_  
TESTS REQUESTED: \_\_\_\_\_

PRESERVATIVE: \_\_\_\_\_  
SIGNATURE: \_\_\_\_\_

RELINQUISHED BY:

Collins Petroleum and  
Electrical, Inc.  
Michael R Collins

DATE

6-10-93

RELINQUISHED TO:

Gerard D. Connelly  
Blue Ridge Labs

NOTE: Use back for additional information and maps.

3/25/91

# Safeway Tank Disposal, Inc.

Page 1 of 7

## RECEIVING REPORT

From:

Collins Petroleum  
308 Heatherford Dr.  
Lewisville, NC 27023

Received by:

B. J. H.  
SAFEWAY TANK DISPOSAL, INC.

Transported by: Ldm / Collins Petro

Tank Disposal Number	Size	Weight	Product	Date Received	Origin
7259	8000	7182#	GAS.	6/11/83	Pantry Hwy 89 Mt. Airy NC
7260	8000	7182#	GAS.	6/19/83	
7261	3000	2640#	Kero.	6/11/83	↓

Safeway Tank Disposal, Inc. accepts the liability for the tank(s) and contents on this report. The tank(s) and contents must be a petroleum product. If at any time the tanks are found to contain any product other than a petroleum product SAFEWAY TANK DISPOSAL, INC. has the right to refuse disposal or negotiate a price for disposal. Customer will be liable for any clean-up or other cost resulting from contamination by a substance other than a petroleum product.

Safeway Tank Disposal, Inc. agrees to dispose of petroleum tanks and contents in accordance with local, state, and federal regulation. Certificate of Disposal to follow.

B. J. H.  
SAFEWAY TANK DISPOSAL, INC.

RECEIVED

# Notice of Intent: UST Permanent Closure or Change-In-Service

N.C. Dept. of Env

FOR  
TANKS  
IN  
NC

## Return Completed Form To:

The appropriate DEM Regional Office according to the county of the facility's location. [SEE REVERSE SIDE OF OWNER'S COPY (BLUE) FOR REGIONAL OFFICE ADDRESS].

State Use Only

MAY 11 1993

I. D. Number: Winston-Salem  
Date Received: Regional Office

## INSTRUCTIONS

Complete and return thirty (30) days prior to closure or change-in-service.

## I. OWNERSHIP OF TANK(S)

Tank Owner Name: YOCO INC  
(Corporation, Individual, Public Agency, or Other Entity)  
Street Address: P.O. Box 67 Old Hwy 601  
County: Surry  
City: White Plains State: NC Zip Code: 27031  
Tele. No. (Area Code): 919-789-5561

## II. LOCATION OF TANK(S)

Facility Name or Company: Pantry #260  
Facility ID # (if available):  
Street Address or State Road: Hwy 89  
County: Surry City: Mt. Airy Zip Code: 27030  
Tele. No. (Area Code): 919-789-5561

## III. CONTACT PERSON

Name: Debbie Wolfe Job Title: Telephone Number: (919) 789-5561

## IV. TANK REMOVAL, CLOSURE IN PLACE, CHANGE-IN-SERVICE

1. Contact Local Fire Marshall.
2. Plan the entire closure event.
3. Conduct Site Soil Assessments.
4. If Removing Tanks or Closing in Place refer to API Publications. 2015 "Cleaning Petroleum Storage Tanks" & 1604 "Removal & Disposal of Used Underground Petroleum Storage Tanks".

5. Provide a sketch locating piping, tanks and soil sampling locations.
6. Fill out form GW/UST-2 "Site Investigation Report for Permanent Closure" and return within 30 days following the site investigation.
7. Keep records for 3 years.

## V. WORK TO BE PERFORMED BY:

(Contractor) Name: Collins Petroleum  
Address: 308 Heatherford Dr State: NC Zip Code: 27023  
Contact: Mike Collins Phone:

## VI. TANK(S) SCHEDULED FOR CLOSURE OR CHANGE-IN-SERVICE

TANK ID#	TANK CAPACITY	LAST CONTENTS	PROPOSED ACTIVITY		
			CLOSURE		CHANGE-IN-SERVICE
			Removal	Abandonment in Place	New Contents Stored
	<u>8000</u>	<u>Gasoline</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	<u>8000</u>	<u>Gasoline</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	<u>3000</u>	<u>Kerosene</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	
			<input type="checkbox"/>	<input type="checkbox"/>	

## VII. OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE

Print name and official title

Debbie Wolfe

Signature: Debbie Wolfe

\*Scheduled Removal Date: 6/7/93

Date Submitted: 5/7/93

\*If scheduled work date changes, notify your appropriate DEM Regional Office 48 hours prior to originally scheduled date.